HEX BOLTS MINIMUM TENSILE STRESS (MPA OR N/MM²)

Phone: ⁰⁷ 3268 7788 sales@sefqld.com.au



HEX BOLTS - MINIMUM TENSILE STRESS (MPa or N/mm²)						
Nominal	Pitch	Stress Area	Class	Class	AS1252	Class
Size	mm	mm²	4.6	8.8		10.9
M3	0.50	5.03	400	800	-	1040
M4	0.70	8.78	400	800	-	1040
M5	0.80	14.20	400	800	-	1040
M6	1.00	20.10	400	800	-	1040
M8	1.25	36.60	400	800	-	1040
M10	1.50	58.00	400	800	-	1040
M12	1.75	84.30	400	800	800	1040
M14	2.00	115.00	400	800	800	1040
M16	2.00	157.00	400	800	800	1040
M18	2.50	192.00	400	830	830	1040
M20	2.50	245.00	400	830	830	1040
M22	2.50	303.00	400	830	830	1040
M24	3.00	353.00	400	830	830	1040
M27	3.00	459.00	400	830	830	1040
M30	3.50	561.00	400	830	830	1040
M33	3.50	694.00	400	830	830	1040
M36	4.00	817.00	400	830	830	1040
M39	4.00	976.00	400	830	-	1040
M42	4.50	1121.00	400	830	-	1040
M48	5.00	1473.00	400	830	-	1040
M52	5.00	1758.00	400	830	-	1040
M64	6.00	2676.00	400	830	-	1040





HEX BOLTS MINIMUM STRESS UNDER PROOF LOAD (MPA OR N/MM²)

Phone: ⁰⁷ 3268 7788 sales@sefqld.com.au



HEX BOLTS - MINIMUM STRESS UNDER PROOF LOAD (MPa or N/mm²)							
Nominal	Pitch	Stress Area	Class	Class	AS1252	Class	
Size	mm	mm²	4.6	8.8		10.9	
M3	0.50	5.03	225	580	-	830	
M4	0.70	8.78	225	580	-	830	
M5	0.80	14.20	225	580	-	830	
M6	1.00	20.10	225	580	-	830	
M8	1.25	36.60	225	580	-	830	
M10	1.50	58.00	225	580	-	830	
M12	1.75	84.30	225	580	580	830	
M14	2.00	115.00	225	580	580	830	
M16	2.00	157.00	225	580	580	830	
M18	2.50	192.00	225	600	600	830	
M20	2.50	245.00	225	600	600	830	
M22	2.50	303.00	225	600	600	830	
M24	3.00	353.00	225	600	600	830	
M27	3.00	459.00	225	600	600	830	
M30	3.50	561.00	225	600	600	830	
M33	3.50	694.00	225	600	600	830	
M36	4.00	817.00	225	600	600	830	
M39	4.00	976.00	225	600	-	830	
M42	4.50	1121.00	225	600	-	830	
M48	5.00	1473.00	225	600	-	830	
M52	5.00	1758.00	225	600	-	830	
M64	6.00	2676.00	225	600	-	830	





Phone: ⁰⁷ 3268 7788 sales@sefqld.com.au



HEX BOLTS - MINIMUM PROOF LOAD (KN)							
Nominal	Pitch	Stress Area	Class	Class	AS1252	Class	
Size	mm	mm²	4.6	8.8		10.9	
M3	0.50	5.03	1.13	2.92	-	4.17	
M4	0.70	8.78	1.98	5.09	-	7.29	
M5	0.80	14.20	3.20	8.24	-	11.79	
M6	1.00	20.10	4.52	11.66	-	16.68	
M8	1.25	36.60	8.24	21.23	-	30.38	
M10	1.50	58.00	13.10	33.60	-	48.10	
M12	1.75	84.30	19.00	48.90	48.90	70.00	
M14	2.00	115.00	25.90	66.70	66.70	95.50	
M16	2.00	157.00	35.30	91.10	91.10	130.30	
M18	2.50	192.00	43.20	115.20	115.20	159.40	
M20	2.50	245.00	55.10	147.00	147.00	203.30	
M22	2.50	303.00	68.20	181.80	181.80	251.50	
M24	3.00	353.00	79.40	211.80	211.80	293.00	
M27	3.00	459.00	103.30	275.40	275.40	381.00	
M30	3.50	561.00	126.20	336.60	336.60	465.60	
M33	3.50	694.00	156.20	416.40	416.40	576.00	
M36	4.00	817.00	183.80	490.20	490.20	678.10	
M39	4.00	976.00	219.60	585.60	-	810.10	
M42	4.50	1121.00	252.20	672.60	-	930.40	
M48	5.00	1473.00	331.40	883.80	-	1222.60	
M52	5.00	1758.00	395.60	1054.80	-	1459.10	
M64	6.00	2676.00	602.10	1605.60	-	2221.10	





HEX BOLTS MINIMUM ULTIMATE TENSILE LOAD (KN)

Phone: ⁰⁷ 3268 7788 sales@sefqld.com.au



HEX BOLTS - MINIMUM ULTIMATE TENSILE LOAD (KN)						
Nominal	Pitch	Stress Area	Class	Class	AS1252	Class
Size	mm	mm²	4.6	8.8		10.9
M3	0.5	5.03	2.01	4.02	-	5.23
M4	0.7	8.78	3.51	7.02	-	9.13
M5	0.8	14.20	5.68	11.36	-	14.77
M6	1	20.10	8.04	16.08	-	20.90
M8	1.25	36.60	14.60	29.28	-	38.06
M10	1.5	58.00	23.20	46.40	-	60.30
M12	1.75	84.30	33.70	67.40	67.40	87.70
M14	2	115.00	46.00	92.00	92.00	119.60
M16	2	157.00	62.80	125.60	125.60	163.30
M18	2.5	192.00	76.80	159.40	159.40	199.70
M20	2.5	245.00	98.00	203.30	203.30	254.80
M22	2.5	303.00	121.20	251.50	251.50	315.10
M24	3	353.00	141.20	293.00	293.00	367.10
M27	3	459.00	183.60	381.00	381.00	477.40
M30	3.5	561.00	224.40	465.60	465.60	583.40
M33	3.5	694.00	277.60	576.00	576.00	721.80
M36	4	817.00	326.80	678.10	678.10	849.70
M39	4	976.00	390.40	810.10	-	1015.00
M42	4.5	1121.00	448.40	930.40	-	1165.80
M48	5	1473.00	589.20	1222.60	-	1531.90
M52	5	1758.00	703.20	1459.10	-	1828.30
M64	6	2676.00	1070.40	2221.10	-	2783.00



